
Trumbull Manufacturing

www.trumbull-mfg.com



QUALITY TOOLS FOR THE WATERWORKS INDUSTRY

DOUBLE SOCKET WRENCHES



Item №	Large Socket	Small Socket	Large Socket Fits Hex Size	Small Socket Fits Hex Size	EXAMPLES OF LARGE SOCKET APPLICATIONS	EXAMPLES OF SMALL SOCKET APPLICATIONS
364-9982	1-1/4”	1-1/16”	3/4” Heavy	5/8” Heavy	4” thru 24” MJ Ftgs., 3/4” Hex Bolts with Heavy Hex	3” MJ Ftgs., Cast Couplings, Clamps, Tapping Sleeves
364-9985	1-1/8”	15/16”	3/4” Standard	5/8” Standard	3/4” Flange Bolts with Standard Hex	5/8” Flange Bolts with Standard Hex, 14” thru 24” Hymax® Couplings
364-9983	7/8”	3/4”	9/16” Standard & 1/2” Heavy	1/2” Standard & 7/16” Heavy	6” thru 12” Hymax® & other Couplings with 1/2” Heavy Hex	1-1/2” thru 4” Hymax® Couplings, 1-1/2” thru 24” MaxiFit™

ADJUSTABLE HANDLE DOUBLE SOCKET WRENCH

- Adjustable handle ideal for reaching bottom bolts on Mechanical Joints or cast couplings
- Double socket permits use on either 5/8” or 3/4” heavy hex nuts without changing sockets
- New oiler feature allows for easy lubrication without disassembly






RATCHET BOX WRENCH

- 1-1/16” socket fits heavy hex nuts on 5/8” bolts, used on clamps, couplings, saddles and 3” Mechanical Joints
- 1-1/4” socket fits heavy hex nuts on 3/4” bolts, used on 4” through 24” Mechanical Joints
- Enclosed gear design keeps debris from jamming the mechanism
- Triple rivets keep plates from spreading under the heaviest tightening job

MANHOLE COVER HOOKS

- Made of 5/8” hexagonal chrome alloy steel
- Painted with Safety Blue enamel coating that resists rusting
- 1/2” point engages the cover of the manhole casting
- Available with point in line with handle, in 24” and 36” lengths
- Available with point 90 degrees from handle, in 30” length



© 2026 Trumbull Manufacturing

QUALITY TOOLS FOR THE WATERWORKS INDUSTRY



HYDRANT WRENCHES

- Non-adjustable 1-piece ductile iron casting with enamel coating
- Available with square or pentagon opening which fits specific operating nut size
- Ideal for square operating nuts
- 15” overall length
- Also serves as a spanner wrench to attach or remove hose couplings (both pin and rocker types)

ADJUSTABLE HYDRANT WRENCH

- 16” long, high-tensile steel handle with knurled grip
- Fits pentagon nuts up to 1-1/2” (point to flat) and square nuts up to 1-1/4” (flat to flat)
- Spanner fits both lug and pin styles of hose couplings
- Zinc chromate finish over the entire wrench provides corrosion resistance





ADJUSTABLE STORZ HYDRANT WRENCH

- Works on 4” and 5” Storz heads and both rocker lug or pin lug fittings
- Bronze wedge nut helps grip a variety of sizes and shapes of operating nuts, especially square
- Accommodates pentagon heads to 1-3/4” and square heads to 1-1/4”
- Head is cast steel, handle is made of high-tensile steel

MAIN VALVE KEYS

- Shafts made of 1” Schedule 40 steel pipe
- Investment cast steel socket fits 2” square operating nut and features mud slots
- Stocked in lengths 2’ through 12’ . . . available in other lengths by special order



© 2026 Trumbull Manufacturing

QUALITY TOOLS FOR THE WATERWORKS INDUSTRY



GATE VALVE SPEED WRENCH

- Ideal for operating valves with 2” AWWA nut, either in the trench or in the yard
- Revolving handle provides for quick opening and closing
- Allows use of both hands for extra leverage

CURB STOP WRENCHES

- Designed to shut off 3/4” through 2” curb stops, and fits directly on tee head of curb stops
- Made of 5/8” round carbon steel with a ductile iron end casting





CURB BOX RODS

- Available in either Buffalo type or Erie/Minneapolis type
- Ductile iron end casting
- Furnished standard with brass cotter pin

CURB BOX KEYS

- Made of 5/8” carbon steel
- Fork end fits in a curb box lid with two holes
- Bottom end is slotted for use on rod inside 1” pipe upper section
- #1306 includes socket end that fits the plug in a curb box lid with a pentagon nut
- #1322 includes pick end which is used to clear ice and dirt from the box lid

#1306 **#1322**



© 2026 Trumbull Manufacturing

QUALITY TOOLS FOR THE WATERWORKS INDUSTRY



End Casting Detail

COMBINATION CURB BOX KEYS



- Made of 5/8” round carbon steel with ductile iron combination casting
- Casting is a multi-purpose tool . . . it can be used on a pentagon nut as well as a 1/2” square rod, and will fit directly on the tee head of a curb or meter stop
- When used on pentagon bolt of meter box covers automatically attaches to lift and hold lid
- Available with plain handle (#1305) or with point/chisel ends (#1321)

PENTAGON HAND KEYS

- Slots in pentagon fit t-heads of meter and curb stops
- Made of high-strength plated carbon steel
- HK-0 and HK-1 fit standard pentagon heads; HK-2 fits standard and large pentagon heads
- HK-3 fits standard pentagon heads; other ends fit Mueller meter boxes, operating 1-1/16” pentagon and lid



HK-0



HK-1



HK-2



HK-3



SOIL PROBE RODS

- Used to help locate buried lines
- Available in welded steel and non-conducting insulated type tee handle
- Insulated type includes non-conducting upper section of shaft and alloy steel, replaceable tip
- Stocked in both 4’ and 5’ lengths

PIPE DIAMETER TAPES

- Front side of blade measures the outside diameter of a pipe and back side measures it’s length
- OD chart furnished on the back of tape case (see photo at right)
- Available with your custom logo to advertize your company
- Blades available in either inch or metric measurements
- 10’ long tape can measure the outside diameters of pipe, up to and including 36” ductile iron pipe

© 2026 Trumbull Manufacturing

QUALITY TOOLS FOR THE WATERWORKS INDUSTRY



Conventional Flaring Tool **KnuckleSAVER®**

The KnuckleSAVER™ 3-IN-1 FLARING TOOLS

- Provides safety from injuries when flaring soft copper tubing
- Shank is drilled out and provided with a pressure relieving hole on the side to allow use with lines that cannot be shut down
- Long shank helps re-round kinked or bent copper
- Ideal to re-round copper used with compression brass



METER WRENCH

- Used to install and remove meter couplings in buried meter boxes and meter pits
- Investment steel casting and steel tubing with EDP coating
- 16” handle allows worker easy access into the confined areas of meter boxes and meter pits
- Works with 1/2” through 1-1/2” meter couplings
- Features include resilient grip and replaceable, heat treated tool steel gripping jaw & anvil



DISTANCE MEASURING WHEELS

- Lightweight design with folding handle that fits neatly inside carry bag
- Six-figure counter records long distances up to 100,000 ft. over most types of terrain
- Internal axle bearings provide long life under a wide variety of applications
- Hand-grip brake eliminates unwanted measurement at turns or around objects



SHUTOFF TOOL

for Polyethylene Water Tubing

- Used in making emergency shutoffs where curb stops or other valves are not readily accessible
- Hinged on one end to allow tool to open for use on 3/4” and 1” tubing
- NOT intended for use on gas tubing!

© 2026 Trumbull Manufacturing

QUALITY TOOLS FOR THE WATERWORKS INDUSTRY



VALVE & CURB KEY KIT

- Operates main valves, curb and meter stops, and a variety of curb box rods and lids
- Tool collapses to compact length for convenient storage in utility vehicles
- Carrying case included
- Optional accessories such as 2-Hole Lid Adapter and Erie/Minneapolis Adapters are also available
- Accepts Cleanout Auger (see separate callout below)

OPTIONAL ACCESSORIES FOR VALVE & CURB KEY KIT

- 367-9101: fits inside 1” pipe of Erie and Minneapolis curb boxes to operate curb box rods
- 367-9102: operates 2-hole lids of Erie and Minneapolis curb boxes
- 367-9103: cleanout auger (details shown below)
- 367-9104: operates small handwheels
- 367-9110: 3-1/2’ extension piece



367-9102



367-9104



367-9101



367-9110



CLEANOUT AUGER

- Made to fit our Valve and Curb Key Kits, but can be used with a variety of tools
- Ideal for cleaning out mud and dirt in 5-1/4” valve boxes
- Made of investment cast carbon steel with powder coating
- Snap pin included

VALVE & CURB BOX CLEANERS

- Heavy-duty tool that is designed for cleaning out 2-1/2” and 3” Buffalo curb boxes as well as 4-1/4” and 5-1/4” Buffalo valve boxes, without excavation
- Squeeze the lever to open the jaws; release the lever and spring to close
- Available in 5’, 6’, 7’, 8’, 10’, and 12’ lengths
- Replacement jaw kits can be interchanged on tools of other popular manufacturers



© 2026 Trumbull Manufacturing



Trumbull Manufacturing

3850 Hendricks Road
Youngstown, Ohio 44515

trumbull-mfg.com

Phone
330.270.7888

Toll Free
877.504.1507

Fax
330.392.0756