



ALUMINUM CHAINWHEELS

ALUMINUM - MODEL TMSTCA



DESCRIPTION:

Aluminum Chainwheels allow operation of valves, actuators, or gear boxes in high, hard-to-reach locations by means of a slight pull on the chain. These are Sprocket-Type chainwheels which use weldless single loop chain and connecting links. Cast of aluminum A356-T6 alloy and provided with a protective coating.

These chainwheels are furnished with stainless steel hardware for clamping to a handwheel or can be pinned directly to a stem with optional Star Adapter.

To prevent serious injury, we recommend the use of our Secondary Safety Restraint System.

CHAIN AND CONNECTING LINKS

Size	Chain	Weight
1/0	0.17 lbs.	0.02 lbs.
4/0	0.29 lbs.	0.03 lbs.
5/0	0.40 lbs.	0.05 lbs.

ALUMINUM CHAINWHEELS

Size No.	Diameter	Boxed Weight	Handwheel OD Range Chainwheel will Fit	Chain Size
TRA-0.0	4"	1.05 lbs.	2" to 4"	#2
TRA-1.0	6"	2.65 lbs.	4-1/4" to 5-3/4"	1/0
TRA-1.5	7-1/2"	4.15 lbs.	6" to 7-1/2"	1/0
TRA-2.0	9"	5.30 lbs.	7-3/4" to 9"	1/0
TRA-2.5	12-1/2"	7.90 lbs.	9-1/4" to 12-1/2"	4/0
TRA-3.0	15-1/2"	10.40 lbs.	12-3/4" to 15-1/2"	4/0
TRA-3.5	19"	13.30 lbs.	15-3/4" to 19"	4/0

PROJECT	APPROVAL STAMP
PROJECT:	<input type="checkbox"/> APPROVED
ADDRESS:	<input type="checkbox"/> APPROVED AS NOTED
ENGINEER:	<input type="checkbox"/> NOT APPROVED
SUBMITTAL DATA:	REMARKS:
NOTES 1:	
NOTES 2:	