


Meter Adapters

When changing meter sizes in an existing setting, use Trumbull Meter Adapters to make up the difference in length and thread size. Our Meter Adapters are cast from UNS C89833 brass and have been certified by UL for compliance with NSF/ANSI 61 and NSF/ANSI 372, per the U.S. Safe Drinking Water Act.

HERE'S AN EXAMPLE OF HOW THEY WORK:



Original Meter

1" METER

New Meter

5/8" METER REPLACEMENT using two 1" x 5/8" Meter Adapters



Item No	Weight	Ford No	Original Meter		New Meter		Quantity Required
			Meter Size	Laying Length	Meter Size	Laying Length*	
368-0642	0.4 lbs.	A13	3/4"	9"	5/8"	7-1/2"	2
368-0643	0.4 lbs.	A14	1"	10-3/4"	5/8"	7-1/2"	2
368-0639	0.4 lbs.	A23	3/4"	9"	5/8" x 3/4"	7-1/2"	1
368-0641	0.6 lbs.	A24	1"	10-3/4"	5/8" x 3/4" & 3/4"***	7-1/2"	2
368-0644	0.4 lbs.	A34	1"	10-3/4"	3/4"	9"	2
368-0640	0.7 lbs.	A44	1"	10-3/4"	3/4" x 1"	9"	1
379-1022	3.2 lbs.	A47	2" Flange	17"	1"	10-3/4"	2

* Meter Adapters are provided with a hard fiber gasket to maintain existing laying lengths, however, for polymer meters with pressed on metal threads, a soft rubber gasket is required; please specify on order. Adapter No. 379-1022 is provided with one 2" rubber flange gasket and one 1" rubber gasket.

** 3/4" meters have been made with 7-1/2" and 9" laying lengths; Adapter No. 368-0641 is designed for 3/4" meters with 7-1/2" laying length.