

Pentagon Hand Keys

Medium Carbon Steel Investment Casting - Plated Finish



STANDARD
Pentagon Head

Model HK-0

Fits standard pentagon heads. The socket cavity retains the head during removal, for ease in lifting the lid of a meter box from the frame. The convenient hammer and pick ends assist in breaking ice and clearing debris. A square shank is provided on the socket for applying extra torque.

Trumbull Item No.	Model	Weight
367-4298	HK-0	0.85 lbs.
367-4331	HK-1	0.60 lbs.
367-4332	HK-2	0.90 lbs.
367-4333	HK-3	1.00 lbs.

See pages A-9 through A-10 for Valve and Curb Keys.




STANDARD
Pentagon Head

Model HK-1

Fits standard pentagon heads. Slot in socket operates T-heads of curb and meter stops. The socket cavity also retains the head during removal, for ease in lifting the lid of a meter box from the frame. The tee-handle has a blunt rounded end for pounding, and a curved, tapered end to assist in breaking ice and clearing debris.

STANDARD WATERWORKS PENTAGON HEAD




LARGE
Pentagon Head

STANDARD
Pentagon Head

Model HK-2


The HK-2 has two pentagon sockets, plus a tapered-end prying blade. Socket 1 fits standard pentagon heads, and has a slot to operate T-head of curb and meter stops. Socket 2 fits large pentagon heads. Both sockets have cavities to retain the pentagon head during removal, for ease in lifting the lid of a meter box from the frame. The tapered blade end is designed for prying, or for use as a chisel.

LARGE WATERWORKS PENTAGON HEAD



MUELLER
Retaining Type
Pentagon Head

MUELLER
External Lug Type
Pentagon Head



STANDARD
Pentagon Head

Model HK-3

The HK-3 has three pentagon sockets, plus a tapered-end prying blade. Socket 1 fits standard pentagon heads, and has a head-retention cavity. It also has a slot to operate T-heads of curb and meter stops. The other two sockets both fit the 1-1/16" pentagon head used on Mueller meter boxes. One socket has the head-retention cavity to retain the pentagon head during removal; the other socket has the external lug which engages the lid recess. Both methods assist in lifting the lid of a meter box from the frame. The tapered blade end is designed for prying, or for use as a chisel.

MUELLER METER BOX COVER PENTAGON HEAD

